

Product Showcase

Premium Rotary Vane Pumps

Global Distributor

Designed In U.S.A.

MADE FOR:

Coffee Machines
Autoclaves
Sterilizers
Washing Machines
& More



BRASS

SERIES 2 | 102A140F11PA

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
140 / 425
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 4 | 104B330F11XX

Body Material:
Brass
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
330 / 1000
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



SERIES 4 | 104E240F11XX

Body Material:
Brass
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
240 / 725
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



SERIES 1 | 111A035F11CA

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
100 / 300
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Balanced- External Adjust



SERIES 1 | 111A100F11AA

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
100 / 300
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 1 | 111A140F11AA

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
140 / 425
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 2 | 112A035F11CA

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
35 / 100
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Balanced- External Adjust



SERIES 2 | 112A125F11XX

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
125 / 375
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



SERIES 2 | 112A140F11XX

Body Material:
Brass
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
140 / 425
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



SERIES 4 | 114B240F11BA

Body Material:
Brass
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
240 / 725
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 4 | 114B240F11XX

Body Material:
Brass
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
240 / 725
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



SERIES 4 | 114B330F11XX

Body Material:
Brass
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
330 / 1000
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve





STAINLESS STEEL

SERIES 3 | 103A140F31RA

Body Material:
Stainless Steel
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
140 / 425
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 3 | 113A035F31CA

Body Material:
Stainless Steel
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
35 / 100
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Balanced- External Adjust



SERIES 3 | 113A140F31BA

Body Material:
Stainless Steel
Port Size:
NPT 3/8"
Flowrate (GPH) / (LPH)
140 / 425
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 5 | 115B190F31BA

Body Material:
Stainless Steel
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
190 / 575
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 5 | 115B265F31BA

Body Material:
Stainless Steel
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
265 / 800
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
150 PSI
Valve Configuration:
Standard-Non External Adjust



SERIES 5 | 115B265F31BA

Body Material:
Stainless Steel
Port Size:
NPT 1/2"
Flowrate (GPH) / (LPH)
330 / 1000
Sealing Material:
EPDM/Nitrile
Maximum Operating Pressure:
250 PSI
Valve Configuration:
No Relief Valve



Find Out More About Our Products.

Visit Our Website At:
www.hydraulicsdepotinc.com



Have A Question?
contact@hydraulicsdepotinc.com





www.hydronicsdepotinc.com

Straight From The Source.
Designed in USA.



ACL

CEME
GROUP

MIT-**UNID**-CNS

AIGNEP

ULKA
PUMPS.

BANICO
Controls

PROCON
custom | fluid | solutions®

138-13085 Yonge St.
Richmond Hill, ON L4E 0K2
Canada

Tel: +1-800-936-2819

contact@hydronicsdepotinc.com